

DS-KD-ACF3 Accessory Package

Key Feature

- Contains installation frame, cover, screws, connecting lines, etc.
- Adapts to three-module flush mounting
- Cover and installation frame are made of aviation aluminum



Available Model

DS-KD-ACF3



Specification

Parameter \ Model	DS-KD-ACF3	
	Cover	Installation Frame
Material	Aviation Aluminum	
Working temperature	-40° C to +60° C (-40° F to 140° F)	
Working humidity	10% to 95%	
Dimension (L x W x D)	337.8 x 124 x 4 mm (13.3" x 4.88" x 0.16")	320.8 x 107 x 32.7 mm (12.6" x 4.21" x 1.29")

Distributed by



HIKVISION®

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Europe
T +31-23-55-42-770
info.eu@hikvision.com

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision UK
T +01628-902140
support.uk@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Korea
T +82-31-731-8841
sales.korea@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Africa
T +27 (10) 0351172
sale.africa@hikvision.com


Hikvision Hong Kong
T +852-2151-1761

20181109

DS-KD-ACF3 Accessory Package

Key Feature

- Contains gang box, cover, screws, connecting lines, etc.
- Adapts to three-module flush mounting
-



Available Model

DS-KD-ACF3



Specification

Parameter \ Model	DS-KD-ACF3	
	Cover	Gang Box
Material	Aviation Aluminum	Plastic
Working temperature	-40° C to +60° C (-40° F to 140° F)	
Working humidity	10% to 95%	
Dimension (L x W x D)	337.8 x 124 x 4 mm (13.3" x 4.88" x 0.16")	338.8 x 134 x 56 mm (13.33" x 5.28" x 2.20")

Distributed by



HIKVISION®

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Europe
T +31-23-55-42-770
info.eu@hikvision.com

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision UK
T +01628-902140
support.uk@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Korea
T +82-31-731-8841
sales.korea@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Africa
T +27 (10) 0351172
sale.africa@hikvision.com

Hikvision Hong Kong
T +852-2151-1761

20190115